




PWA of $e^+e^- \rightarrow K^+K^-\pi^0\pi^0$



Yateng Zhang

University of Science and Technology of China

Φ +anything $\Phi\sigma$ $\Phi f_0(980)$ $\Phi f_0(1370)$ $\Phi f_2(1270)$ $\Phi\pi^0\pi^0$ $\Phi(1600)\pi^0$ **$R(\pi^0\pi^0)+K^+K^-$** $K^+K^-f_0(980)$ $K^+K^-\sigma$ $K^+K^-f_0(1370)$ $K^+K^-f_2(1270)$ $K^{*+}K^{*-}$ $K^{*\pm}K^{\mp}\pi^0$ $K^*(1410)K$ $K_1(1400)K$ $K_1(1270)K$ ($K_1(1270)\rightarrow K^*(892)\pi$) $K_1(1270)K$ ($K_1(1270)\rightarrow K^*(1430)\pi$) $K^{*+}_0(1430)K^{*-}$ $K^{*+}_2(1430)K^{*-}$ ($|23\rangle$ $|43\rangle$) K^{*}_2K ($K^{*}_2\rightarrow K^*\pi^0$) $K^{*\pm}_2K^{\mp}\pi^0$ $K^{*\pm}_0K^{\mp}\pi^0$ **PHSP** $K^+K^-\pi^0\pi^0$ **Phi mass window region:** **$|M(KpKm)-1.02|<0.02$ GeV**



Three body



Angle distribution

